I am the President of Marketing Services, Inc., a consulting services business I conduct in the field of marketing from my home in Poway, California.

I make this Declaration under penalty of perjury. The statements are made of my own personal knowledge and if called to testify on the witness stand, I would testify in the same manner as set forth herein.

Sometime in 1980, I had contacts with a Mrs. Marian Gillett, then of 16950 Tesoro Drive, Rancho Bernardo, California, concerning a kitchen product she had invented. This product was a flexible kitchen cutting mat.

Mrs. Gillett and I agreed that, through my company, Market Services, Inc., then operated from 11650 Iberia Place, San Diego, California, we would jointly attempt to market her cutting mat.

Pursuant to that effort, in late 1980, I commissioned art work to be developed for the product packaging insert, the product to be sold under the trademark "CounterMaid", and attached as Exhibit 1 is a true copy of that artwork.

Mrs. Gillett obtained a quotation for plastic sheets from a supplier, John E. Stoneman, Inc. of Newport Beach, California, and attached as Exhibit 2 is a true copy of a quotation she provided me.

In July of 1981, I purchased 3,000 sheets of plastic from John E. Stoneman, Inc. to be sold as CounterMaid cutting mats, and attached as Exhibit 3 is a true copy of an invoice covering that purchase.

Over the following months extending into 1982, the CounterMaid product was offered for sale and sold through various

retail outlets in California and elsewhere.

I have at my residence a leftover quantity of the original CounterMaid mats from the original 3,000 purchased in 1981.

At the request of John R. Benefiel, Defendants' counsel, on or about October 30, 1997 I took samples of these CounterMaid mats to OCM Laboratories of Anaheim, California for testing.

I declare under penalty of perjury that the foregoing is true and correct.

Date: Dec 30, 1997

William Fishman

# COUNTER-MAID®

# THE REUS ABLE... FIEWS ABLE... PULLS FUND DE LES

# KITCHEN BOARDS!

KEEPS YOUR COUNTERTOP ALWAYS NEW!

# HELPFUL HINTS

#### KEEP IT HANDY

- A "must" for every kitchen
- Keep one in dad's workshop too!
- Don't forget the camper.

### EASY TO CLEAN

- Just rinse with water for most jobs.
- For greasy clean-up ... wipe with paper towel or stand between two plates in dishwasher.
- Will not absorb stains grape, mustard, even Easter egg dye.

### MAKE IT NON-SLIP AT THE KITCHEN COUNTER

- Spread 2 tsp. MINERAL OIL over clean counter and smooth out air bubbles (with straight edge tool such as a food turner). Press the oil out with long strokes until it adheres without slipping.
- Place a second one on top so you can still curi & funnel.

ANOTHER GILLETT PRODUCT FROM

MARKETING SERVICES, INC.

SAN DIEGO, CALIFORNIA

PATENT PENDING




COUNTER-MAID®

THE REUSABLE...

KITCHEN BOARDS

Protects your kitchen counters, cutting boards and chopping blocks from expensive permanent damage due to cuts and stains.




CUT & CHOP FOODS! SALADSI CHEESE! MEATI VEGETABLES! SAVES KITCHEN COUNTER



MORE SANITARY!

Easy to wash. Dishwasher safe.

Prevents bacteria build up. Non-toxic. Unbreakable.



CARVE ROASTS! SAVES
KNIFE SHARPENINGS!
Remove roast from pan & carve
It on your COUNTER-MAID®



IT'S SHAPEABLE!

Bend it, shape it into a funnel for any vessel. Ideal for preparing foods for CASSEROLES, SALADS, WOK OR SKILLET

Cut, silice and chop your foods right on a handy "COUNTER-MAID" kitchen board then use it to scoop and funnel it right into your cooking or serving dish.

ALSO IDEAL FOR:

PROTECTING SINKS FROM SCRATCHES WHEN POT WASHING. KNEADING AND ROLLING DOUGH, SIFTING FLOUR (Won't stick)



John E. Stoneman, Inc. 2043 Westcht Drive Suite 211 Newport Beach, CA 92660 Telex 181-577 Telephone 714 645-7261

August 29, 1980

Mrs. Marian Gillett 16950 Tesoro Drive San Diego CA 92128

Dear Mrs. Gillett:

Listed below is confirmation of prices quoted verbally to you on August 27th.

		10,000	30,000	50,000
9 mil	12" x 14"	110.14/M	92.44/M	83.33/M
	12" x 15"	116.90/M	98.65/M	89.03/M
	12" x 16"	123.80/M	104.85/M	94.78/M
10 mil	12" x 14"	120.76/M	102.11/M	92.20/M
	12" x 15"	130.08/M	108.96/M	98.47/M
	12" x 16"	135.84/M	115.87/M	104.82/M
12 mil	12" x 14"	142.00/M	121.40/M	109.88/M
	12" x 15"	151.10/M	129.69/M	117.48/M
	12" x 16"	160.18/M	137.95/M	125.05/M

These prices are figured without the special packaging. Let us know if you need further information. We will send some 10 mil samples as soon as available.

Yours truly,

Charlotte Hampton (a)

CH:at

JESIM	Our Ref. No.	175.00 Lot \$ 175.00	\$ 21.74		
INVOICE  No 9557  Marion Gillette  Marketing Services Inc.	Diego, Ca 92128  Vor Detroit No. Salesman  Verbal House	x 15 9 mil Kleer Kards	UPS Charge	Shipment Complete	
John E. Stoneman, Inc. 2043 Westciat Drive Sule 211 Newport Beach, CA 92660 Telex 181-577 Telephone 714 645 7261 D	1 18/10 shipped Via UPS	3000 1000 6 1/2		Shi	

A service charge of 1% per month on the unpaid balance will be made on all past due accounts. Should this rate exceed the maximum rate that is lawful under the circumstances, that maximum rate shuil appay. Customer also agrees to pay reasonable afforcay's fees and other coats incurred at collection.

ORIGINAL

Worple Road !

#### VITRONE EXTRUDED SHEET

Vitraplus clear sheet for rooflights, domelights and space glazing. Of good weatherability and satisfying the fire requirements of BSS 476 part 7 Vitraplus is also protected both sides with strippable polythene film

Thickness range: 1.00 to 12.00 mm

Sheet size: 2440 x 1220 mm

3000 x 1220 mm

6000 x 1220 mm

3000 x 1500 mm

6000 x 1500 mm

other sizes by arrangement subject to minimum 50 sheet lots.

B. Vitrone E industrial grey.

2 colours are available, dark grey RI153 and light grey RI117.

Vitrone E is suitable for all types of fabrication of process plant. It is also NON-TOXIC so can also be used for the fabrication of food handling equipment.

Size range is as for Vitraplus.

C. Vitrone E colours.

Also in the same range of sizes as Vitraplus, Vitrone E can be supplied to colour match for minimum 5000 ka lots.

WITH THE PRESSED CLEAR WAR E LAMINATE

To complement Vitraplus, Vitrone clear wire laminate is available to satisy the most stringent of fire regulations.

Satisfying BSS 476 part 3, it allows designers complete freedom in their choice of glazing materials.

工厂

P.E. Lam patisserie chill cabi atmosph

> Standare 300 micr 550 mici 650 mic: But othe

CXTE (

P.V.D.C of phar some v produc



# Śtaooolopy Stooottoo 81 0100 OPOaostoous 0.tol

Worple Road Isleworth Middlesex TW7 7AU England Tel: 01 568 6831 Telex: 897918 SS PLAS G Telegrams: Stanmith Isleworth England

# P.V.C. LAMINATES OR CLEAR VISUAL FOOD PACKAGING WITH ATMOSPHERIC CONTROL

Todays paskaging industry demands dear visual packs for madimum product visuality. Vinona dear extendence properties elect is a long shelf of grant people in the new for long shelf and protection to satisfy the new for long shelf and protection protection are evaluated in NIAV with the new for long shelf and protection are evaluated in NIAV with the new for long shelf and protection are evaluated in NIAV with the new for long street evaluation in NIAV with t

Vilione laminates are formulated especially to give deep draw surginal pasks without philipling of detailmation, and pasks in Vilione are compatible with a wide variety of highing materials.

#### (ATTACHE)

E. Laminates are for fresh meat, fish and poultry, pasta, patisserie — in fact any product needing longer shelf life in chill cabinets either with or without gas flushing for atmospheric control.

Standard combinations are:
300 micron p.v.c./70 micron p.e.
550 micron p.v.c./100 micron p.e.
650 micron p.v.c./100 micron p.e.
9ut others are available as needed

るで「不同なない」の

P.V.D.C. Laminates are principally for the protective packing of pharmaceuticals and moisture sensitive tablets although some very long shelf-life fresh food packaging is also produced from these laminates.

#### Availabilit

Based on lamination with Saranex from the Dow Chemical Co, they are available in a wide range of thicknesses. Vitrone p.v.c./p.v.d.c. laminates can be used for visual packaging but under certain circumstances e.g. drug packaging, an opaque film is needed in white or a safety colour such as orange or amber for tamper-evident or child resistant packaging.

#### Range.

For these reasons there is no standard range of Vitrone p.v.c./p.v.d.c. laminates. Rather, they are produced to order to satisfy the requirements of particular packaging specification.


#### PROPERTIES:

Vitrone p.v.c./p.v.d.c. laminates offer a very high barrier to oxygen and water vapour. Typical values are shown as follows:-

	MATERIALS	W.V.T.A. g/m² day 38°C, 90% A.H.	ີ Oxygen Permeability cm/m day atm 23°C, 90% A.H.	† Moisture Intake Thermoformed blister mg/day Average Min. Max.		
2	p.v.c. 250 micron polystyrene 250 micron + Saranex 23	1	5.3	7.5 6.5	7.2 5.5	9.2 7.8
3	p.v.c. 250 micron + Saranex 23	0.7	5	3.7	3.2	· 4.9
4	p.v.c. 250 micron coated with 40 g.s.m. p.v.d.c.			6.5	5.9	7.3

\*/\*\* Flat, virgin material, measured by Lyssi and Oxtran equipment (sensitivity limit).


Thermoformed blister on the same industrial machine, according to U.S.P.A., each blister 10 bubbles of 22 x 12 x 5mm.



# SHEET MATERIALS FOR ORTHOPAEDIC USE

Stanley Smith & Co Plastics Ltd., Isleworth, have engaged in many years of close collaboration and research in orthopaedics to perfect a range of sheet materials for the manufacture of orthopaedic splints and supports of all types.

All these materials are physiologically inert and two of them are pink in colour for the best cosmetic appearance. All three are easily fabricated manually to give light weight, strong, non-irritant, aesthetically pleasing orthopaedic devices.



# PINK POLYTHENE GRADE 2SSAO

- The longest established material more than 20 years successful use.
- \* Pink toned.
- \* Supple yet strong.
- \* Bonds easily to polyethylene foam.

- \* Accepts studs, straps, Velcro fastenings etc., as required.
- \* Very easy moulding.
- \* Sheet sizes 3050 mm × 1525 mm, 1525 mm × 1525 mm, 1525 mm × 762 mm, 762 mm × 762 mm.

Mo:

\* Thicknesses 1.6 mm, 3.2 mm, 4.8 mm, 6.4 mm.

## PINK POLYPROPYLENE

- \* Pink colour matches Vitrathene pink polythene.
- \* Higher stiffness for larger or more demanding applications.
- \* Accepts studs, straps, Velcro fastenings etc., as required
- \* Very easy moulding.
- \* Sheet sizes 3050 mm × 1220 mm, 1525 mm × 1220 mm, 1220 mm × 762 mm, 762 mm × 610 mm.
- \* Thicknesses 1.6 mm, 3.2 mm, 4.3 mm, 5.4 mm.


## H.D.R.

- \* High density, high molecular weight polythene for heavy duty supports and splints.
- \* Natural cream white colour.
- \* Very easy moulding.

- \* Accepts studs, straps, Veicro fastenings etc., as required.
- \* Sheet sizes 3050 mm × 1525 mm, 1525 mm × 1525 mm, 1525 mm × 762 mm, 762 mm × 762 mm.
- \* Thicknesses 1.6 mm, 3.2 mm, 4.8 mm, 6.4 mm.

### NON-STANDARD ITEMS

- \* Vitrathene and Vitralene also available in natural colour.
- \* Welding rod in all materials available for special fabrication techniques.
- \* Other sheet sizes and thicknesses available to special order, including 2000 × 1900 mm.
- \* Polished surface finish available to special order.
- D If you would like a copy of the leaflet describing the original work of Dr. Scales with Vitrathene Polythene, please ask our Sales Dapt.



Worple Road Isleworth Middlesex TW77AU England Tel 01 568 6831 Telex 897918 SS PLAS C. Telegrams Stanmith Isleworth England

id socialisticono posevalencio de la constanta de la constanta de la constanta de la constanta de la constanta

- e fange of materials includes :
  - Jeow density-density-0.920
  - Linear low density density 0.910
    - High density a density 0.955
  - High molecular weight high density also called \$500 grade and ensity 0.955
  - ulirahigh molecular weighthigh density = also called 1000 grade = density 0.940
  - Redeneration line sign molecular velon thiolidensity grade blackie W39 density of 2015 Ellediowandhigh density materials. Eillers include boron, boron caroide althrum sails. glas ungsen Foridlidetalisiplease see Viirite leatleu
  - Flameproofimaterials, vioditication to reduce tlammability can be carried out to customer specification.
  - Pinkgrade 255A0 low density polythene in flesh colour or on hopaedic splints sitte ongina material:developed in conjunction with Dri Scales = the world leader to 740 years :
    - Other orthopaedic polyoletines = please see separate leaflers
  - Specialist materials can be processed to customer requirements to satisfy particular technical specifications. Our lec'hnical department can advise on all aspecis of this work.
    - Range of dimensions
    - 12Pressed sheet Sizes:1000-X1000:mm
      - - 2000 x 1000 mm
        - 3050 220 mm 3050 x 1525 mm

    - Thickness 1/6 to 75 mm Tiplo 100 mm for 1000 x 1000 mm
    - **DEstruded shee**
    - Sizes 2440 c 1220 mm
      - 3000 T 500 mm
      - mickness a 00 jos 200 mm
    - Cihersizes avallable subject to minimum so
    - sheet orders

- - Upto 1000 mm diameter
- - Upto 1500 mm diameter Uplo 1500 mm heights
- Specialist mouldings: lo:customer:drawing



ple Road Isleworth Middlesex TW77AU England Tel:01568 6831 Telex: 897918 SS PLAS G Telegrams: Stanmith Isleworth England

# POLYPROPYLENE

## Pressed Block and Extruded She

anley Smith & Comanutacture polypropylene sheet and block in the widest nge of sheet sizes and thicknesses in homopolymer and copolymer and in atural beige grey black and special colours and types

### عاللات التعالية

- Hömopolymer natural beige grey and black.
- Gopolymer natural beige grey and black
- Regenerated materials based on beige grey homopolymer = customers own material can be recvcied.
- Special colours = to colour match subject to minimum 2000 kg (pressed block) or 5000 kg
- Special formulations such as copper stabilised or plateable material available to special order Our lechnical department can advise on suitable solutions to specific enquiries
- Nodular sheet for the construction of plating and brightening equipments
  - Orthopaedic material standard pink and various specialist polypropylene materials suitable for orthoses and prostheses = please see separate leaflet.

#### ार्(स=

Vitralene Pressed Block Sizes: 1000 x 1000 mm

1000 x 1200 mm

2000 xs1000 mm 3050 ks1220 mm

3050 x 1525 mm

Nodular available in these sizes only:

Thickness 1 6 to 75 mm

Vitralene E Extruded Sheet


Size: 2440 x 1220 mm

3000 x 1500 mm

6000 x 1500 mm

Other sizes subject to 50 sheet minimum

Thickness: 1:00 to 12:00 mm



# Stanoley Sonito & Co Plastics Ltd

Worple Road · Isleworth · Middlesex · TW7 7AU · England · Tel: 01 568 6831 · Telex: 897918 SS PLAS G · Telegrams: Stanmith · Isleworth · England

# CUTTING BOARDS FOR ALL INDUSTRIES

	A STATE OF STREET OF STREET OF STREET OF STREET OF STREET					वर्ष अवस्ति ।	
	PORTE	ACK!	Clored	HYPRES	PREPARATION	ALS TAIR ANTO	ABATTOIR
VITRALENE pressed polypropylene							
VITRALENE E extruded polypropylene 							
Conductive polypropylene							
VITRONE E extruded rigid pvc							
VITRONE KFCB semi-rigid pvc						i sa kwi	
VITRATHENE HMW high Molecular weight polythene – pure white natural							
VITRATHENE IMW-full colour range							
AUSizerange: 1000 x 1000 mm	<b>ाति (शास्त्रक्रम</b>	alite in the second	eligica de	it is the same	Time and		

Extense 1220 minute

1000 (220) nin

तातातिबुद्धाः १५१६। साताविद्धाः १५१६।

30500x 11525 mm

uniquessienifepressiesteria (nio 75,00 min

लायक वयना बातिहरू स्थाया कार्य वाचा वाचा वाचा विश्व विश्व

विकास के जाती का जाती के जाती के जाता कर के जाता है।

Allytiment માં the reside (except (200) કાલ્યાના કાલ્યાના કાલ્યાના કાલ્યાના કાલ્યાના કાલ્યાના કાલ્યાના કાલ્યાન ત્યાં જોતાનું જોતા જોતાના કાલ્યાના કાલ્યાના કાલ્યાના કાલ્યાના કાલ્યાના કાલ્યાના કાલ્યાના કાલ્યાના કાલ્યાના કાલ